


Chapter 1: Properties of Atmosphere



- Temperature
- Moisture
- Pressure
- Wind



Temperature




ESS124
Prof. Jin-Yi Yu

What Is Air Temperature?

- ❑ Air temperature is a measurement of the average internal kinetic energy of air molecules.
- ❑ Increase in internal kinetic energy in the form of molecular motions are manifested as increases in the temperature of the body.



Units of Air Temperature



□ Fahrenheit (°F)

(In US, °F is used for surface temperature but °C is used for upper atmospheric temperatures)

□ Celsius (°C)

$$\rightarrow ^\circ\text{C} = (^{\circ}\text{F} - 32) / 1.8$$

□ Kelvin (K): a SI unit


$$\rightarrow \text{K} = ^\circ\text{C} + 273$$

$$1 \text{ K} = 1 ^\circ\text{C} > 1 ^\circ\text{F}$$



Vertical Thermal Structure

Standard Atmosphere



(from *Understanding Weather & Climate*)

lapse rate = 6.5 C/km

Troposphere (“overturning” sphere)

- contains 80% of the mass
- surface heated by solar radiation
- strong vertical motion
- where most weather events occur

Stratosphere (“layer” sphere)

- weak vertical motions
- dominated by radiative processes
- heated by ozone absorption of solar ultraviolet (UV) radiation
- warmest (coldest) temperatures at summer (winter) pole

middle
atmosphere

Mesosphere

- heated by solar radiation at the base
- heat dispersed upward by vertical motion

Thermosphere

- very little mass



ESS124
Prof. Jin-Yi Yu

Variations in Tropopause Height






FIGURE 1-23 Differences in the height of the tropopause. The variation in the height of the tropopause, as shown on the small inset diagram, is greatly exaggerated.



Latitudinal Variations of Net Energy




(from *Meteorology: Understanding the Atmosphere*)


- Polarward heat flux is needed to transport radiation energy from the tropics to higher latitudes.



Isotherm



New Understanding of Cyclone after WWII



Carl Gustav Rossby (1898-1957)



- Carl Rossby mathematically expressed relationships between mid-latitude cyclones and the upper air during WWII.
- Mid-latitude cyclones are large-scale waves (now called Rossby waves) that grow from the “baroclinic” instability associated with the north-south temperature differences in middle latitudes.



Rotating Annulus Experiment

Cooling
Outside

Heating
Inside




(from *"Is The Temperature Rising?"*)




ESS124
Prof. Jin-Yi Yu


Properties of the Three Cells



Jet Streams over the US



(from Riehl (1962), Palmen and Newton (1969))



- ❑ Both the polar and subtropical jet streams can affect weather and climate in the western US (such as California).
- ❑ El Nino can affect western US climate by changing the locations and strengths of these two jet streams.



Extratropical Cyclones in North America





Cyclones preferentially form in five locations in North America:


- (1) East of the Rocky Mountains
- (2) East of Canadian Rockies
- (3) Gulf Coast of the US
- (4) East Coast of the US
- (5) Bering Sea & Gulf of Alaska



P ressure




What Is Air Pressure?



The “weight” of a column of the atmosphere above a unit area of surface.



One Atmospheric Pressure



(from *The Blue Planet*)

- ❑ The average air pressure at sea level is equivalent to the pressure produced by a column of water about 10 meters (or about 76 cm of mercury column; or about 14.7lb/in²).
- ❑ This standard atmosphere pressure is often expressed as 1013 mb (millibars), which means a pressure of about 1 kilogram per square centimeter.



ESS124
Prof. Jin-Yi Yu

Units of Atmospheric Pressure

- **Pascal (Pa):** a SI (Système Internationale) unit for air pressure.

1 Pa = a force of 1 newton acting on a surface of one square meter

1 hectopascal (hPa) = 1 millibar (mb) [hecto = one hundred = 100]

- **Bar:** a more popular unit for air pressure.

1 bar = a force of 100,000 newtons acting on a surface of one square meter

= 100,000 Pa

= 1000 hPa


= 1000 mb

- **One atmospheric pressure** = standard value of atmospheric pressure at sea level = 1013.25 mb = 1013.25 hPa.






Aneroid barometer (left)
and its workings (right)



A barograph continually
records air pressure
through time




Pressure Correction for Elevation




- Pressure decreases with height.
- Recording actual pressures may be misleading as a result.
- All recording stations are reduced to sea level pressure equivalents to facilitate horizontal comparisons.
- Near the surface, the pressure decreases about 100mb by moving 1km higher in elevation.



Pressure and Height





Isobar



- It is useful to examine horizontal pressure differences across space.
- Pressure maps depict *isobars*, lines of equal pressure.
- Through analysis of *isobaric charts*, pressure gradients are apparent.
- Steep (weak) pressure gradients are indicated by closely (widely) spaced isobars.



Pressure Gradient Force





(from Meteorology Today)


- $PG = (\text{pressure difference}) / \text{distance}$
- Pressure gradient force goes from high pressure to low pressure.
- Closely spaced isobars on a weather map indicate steep pressure gradient.




Northern Winter (January)



Northern Summer (July)




Seasonal Cycle of Rainfall




Prof. Jin-Yi Yu

P ressure



W inds

Measuring Winds




- Wind direction always indicates the direction from which wind blows.
- An *anemometer* indicates both wind speed and direction.
- Official measurements of wind at surface are made at an elevation of 10 meters, which is referred to as the *anemometer height*.
- Meteorologists typically measure wind speed in knots.

→ 1 knot = 1.15mph = 0.51 m/sec






Wind Direction and Speed

A. Wind Direction



Wind direction: The direction from which the wind is blowing

B. Wind Speed



© 2008 Kendall/Hunt Publishing


ESS124
Prof. Jin-Yi Yu

Humidity

- ❑ Atmospheric humidity is the amount of water vapor carried in the air.
- ❑ Humidity = moisture in the air
- ❑ Atmospheric water vapor is also the most important greenhouse gas in the atmosphere.



Vapor Pressure




(from *Meteorology Today*)

- The air's content of moisture can be measured by the pressure exerted by the water vapor in the air.
- The total pressure inside an air parcel is equal to the sum of pressures of the individual gases.
- In the left figure, the total pressure of the air parcel is equal to sum of vapor pressure plus the pressures exerted by Nitrogen and Oxygen.
- High vapor pressure indicates large numbers of water vapor molecules.
- Unit of vapor pressure is usually in mb.



ESS124
Prof. Jin-Yi Yu

Observed Vapor Pressure




- In winter, the atmosphere in north-central areas of the United States contains only about a quarter of moisture that the deserts do in summer.

- How can this be?



Saturation Vapor Pressure



- Saturation vapor pressure describes how much water vapor is needed to make the air saturated at any given temperature.
- Saturation vapor pressure depends primarily on the air temperature in the following way:

$$\frac{de_s}{dT} = \frac{L}{T(\alpha_v - \alpha_l)}$$

The
Clausius-Clapeyron
Equation




$$e_s \cong 6.11 \cdot \exp \left\{ \frac{L}{R_v} \left(\frac{1}{273} - \frac{1}{T} \right) \right\}$$

- Saturation pressure increases exponentially with air temperature.

L: latent heat of evaporation; α : specific volume of vapor and liquid




ESS124
Prof. Jin-Yi Yu




Relative Humidity

$$RH = \frac{\text{actual vapor pressure}}{\text{saturation vapor pressure}} \times 100 \text{ percent.}$$

- Humans are sensitive to how close air is to saturation, the quantity “*Relative Humidity*” was invent to describe this atmospheric property.




Daily Variations of Temperature, Relative Humidity, and Dewpoint Temp.



On a day when the moisture content of the air does not change.



Dry and Wet Bulb Thermometer: Measuring the Humidity



(from www.golearngo.wordpress.com)

(from Sydney Olympic Park Education)



ESS124
Prof. Jin-Yi Yu


Cloud Type Based On Properties

- ❑ Four basic cloud categories:
 - ✓ **Cirrus** --- thin, wispy cloud of ice.
 - ✓ **Stratus** --- layered cloud
 - ✓ **Cumulus** --- clouds having vertical development.
 - ✓ **Nimbus** --- rain-producing cloud


- ❑ These basic cloud types can be combined to generate *ten different cloud types*, such as cirrostratus clouds that have the characteristics of cirrus clouds and stratus clouds.



Cloud Types



Cloud Types Based On Height



If based on cloud base height, the ten principal cloud types can then grouped into four cloud types:

- ✓ **High clouds** -- cirrus, cirrostratus, cirroscumulus.
- ✓ **Middle clouds** – altostratus and altocumulus
- ✓ **Low clouds** – stratus, stratocumulus, and nimbostratus
- ✓ **Clouds with extensive vertical development** – cumulus and cumulonimbus.

(from *"The Blue Planet"*)



ESS124
Prof. Jin-Yi Yu

Cloud Classifications

Table 12.1 Classification of Clouds in the Troposphere by Altitude

Height	Name	Shape and Appearance
<i>High-level clouds</i>		
Cloud base 6 to 15 km above sea level	Cirrus	Feathery streaks
	Cirrocumulus	Small ripples and delicate puffs
	Cirrostratus	Translucent to transparent sheet, like a veil across the sky
<i>Middle-level clouds</i>		
Cloud base 2 to 6 km above sea level	Alto cumulus	White to dark gray puffs and elongate ripples
	Altostratus	Uniform white to gray sheet covering the sky
<i>Low-level clouds</i>		
Cloud base below 2 km above sea level	Stratus	Uniform dull gray cover over the sky
	Nimbostratus	Uniform gray cover, rain generally falling
	Stratocumulus	Patches of soft gray; in places patches coalescing to a layer
<i>Clouds with great vertical development</i>		
Cloud base below 3 km above sea level	Cumulus	Puffy cauliflower shape with flat base
	Cumulonimbus	Large, puffy; white, gray and black; great vertical extent, often with anvil-shaped head

(from “*The Blue Planet*”)



ESS124
Prof. Jin-Yi Yu

(from www.srh.noaa.gov)



ESS124
Prof. Jin-Yi Yu

High Clouds

1. Cirrus Clouds



3. Cirrocumulus Clouds



2. Cirrostratus Clouds



(from Australian Weather Service)

- High clouds have low cloud temperature and low water content and consist most of ice crystal.



Middle Clouds

4. Altostratus Clouds



5. Altocumulus Clouds



(from Australian Weather Service)

- Middle clouds are usually composite of liquid droplets.
- They block more sunlight to the surface than the high clouds.



ESS124
Prof. Jin-Yi Yu

Low Clouds

6. Stratus Clouds




8. Nimbostratus Clouds



(from Australian Weather Service)

7. Stratocumulus Clouds



- Low, thick, layered clouds with large horizontal extends, which can exceed that of several states.



Clouds With Vertical Development

9. Cumulus Clouds



10. Cumulonimbus Clouds



(from Australian Weather Service)

- They are clouds with substantial vertical development and occur when the air is absolute or conditionally unstable.



ESS124
Prof. Jin-Yi Yu