


## Chapter 1: Properties of Atmosphere



- Temperature
- Moisture
- Pressure
- Wind



ESS124  
Prof. Jin-Yi Yu

# T emperature



ESS124  
Prof. Jin-Yi Yu


## What Is Air Temperature?

- ❑ Air temperature is a measurement of the average internal kinetic energy of air molecules.
- ❑ Increase in internal kinetic energy in the form of molecular motions are manifested as increases in the temperature of the body.



ESS55  
Prof. Jin-Yi Yu

## Units of Air Temperature




$$1 \text{ K} = 1 ^{\circ}\text{C} > 1 ^{\circ}\text{F}$$



ESS124  
Prof. Jin-Yi Yu

## Vertical Thermal Structure

### Standard Atmosphere



lapse rate = 6.5 C/km

(from *Understanding Weather & Climate*)

Troposphere ("overturning" sphere)

- contains 80% of the mass
- surface heated by solar radiation
- strong vertical motion
- where most weather events occur

Stratosphere ("layer" sphere)

- weak vertical motions
- dominated by radiative processes
- heated by ozone absorption of solar ultraviolet (UV) radiation
- warmest (coldest) temperatures at summer (winter) pole

Mesosphere

- heated by solar radiation at the base
- heat dispersed upward by vertical motion

Thermosphere

- very little mass



ESS124  
Prof. Jin-Yi Yu

## Variations in Tropopause Height






FIGURE 1-23 Differences in the height of the tropopause. The variation in the height of the tropopause, as shown on the small inset diagram, is greatly exaggerated.



## Latitudinal Variations of Net Energy




(from *Meteorology: Understanding the Atmosphere*)

- Polarward heat flux is needed to transport radiation energy from the tropics to higher latitudes.




ESS124  
Prof. Jin-Yi Yu

## Isotherm



ESS124  
Prof. Jin-Yi Yu

## New Understanding of Cyclone after WWII




Carl Gustav Rossby (1898-1957)

- Carl Rossby mathematically expressed relationships between mid-latitude cyclones and the upper air during WWII.
- Mid-latitude cyclones are large-scale waves (now called Rossby waves) that grow from the “baroclinic” instability associated with the north-south temperature differences in middle latitudes.



ESS124  
Prof. Jin-Yi Yu

## Rotating Annulus Experiment




(from “Is The Temperature Rising?”)




ESS124  
Prof. Jin-Yi Yu

## Properties of the Three Cells




ESS124  
Prof. Jin-Yi Yu

## Jet Streams over the US



(from Riehl (1962), Palmen and Newton (1969))



- ❑ Both the polar and subtropical jet streams can affect weather and climate in the western US (such as California).
- ❑ El Nino can affect western US climate by changing the locations and strengths of these two jet streams.





ESS124  
Prof. Jin-Yi Yu

## Extratropical Cyclones in North America




Cyclones preferentially form in five locations in North America:

- (1) East of the Rocky Mountains
- (2) East of Canadian Rockies
- (3) Gulf Coast of the US
- (4) East Coast of the US
- (5) Bering Sea & Gulf of Alaska




## What Is Air Pressure?



The “weight” of a column of the atmosphere above a unit area of surface.

## One Atmospheric Pressure



(from *The Blue Planet*)

- The average air pressure at sea level is equivalent to the pressure produced by a column of water about 10 meters (or about 76 cm of mercury column; or about 14.7 lb/in<sup>2</sup>).
- This standard atmosphere pressure is often expressed as 1013 mb (millibars), which means a pressure of about 1 kilogram per square centimeter.

## Units of Atmospheric Pressure


- **Pascal (Pa):** a SI (Système Internationale) unit for air pressure.  
 $1 \text{ Pa} = \text{a force of 1 newton acting on a surface of one square meter}$   
 $1 \text{ hectopascal (hPa)} = 1 \text{ millibar (mb)}$  [hecto = one hundred =100]
- **Bar:** a more popular unit for air pressure.  
 $1 \text{ bar} = \text{a force of 100,000 newtons acting on a surface of one square meter}$   
 $= 100,000 \text{ Pa}$   
 $= 1000 \text{ hPa}$   
 $= 1000 \text{ mb}$
- **One atmospheric pressure** = standard value of atmospheric pressure at sea level = 1013.25 mb = 1013.25 hPa.



ESS124  
Prof. Jin-Yi Yu



Aneroid barometer (left)  
and its workings (right)




A barograph continually  
records air pressure  
through time



ESS124  
Prof. Jin-Yi Yu

## Pressure Correction for Elevation




- Pressure decreases with height.
- Recording actual pressures may be misleading as a result.
- All recording stations are reduced to sea level pressure equivalents to facilitate horizontal comparisons.
- Near the surface, the pressure decreases about 100mb by moving 1km higher in elevation.




ESS124  
Prof. Jin-Yi Yu

## Pressure and Height



ESS124  
Prof. Jin-Yi Yu

## Isobar





- It is useful to examine horizontal pressure differences across space.
- Pressure maps depict *isobars*, lines of equal pressure.
- Through analysis of *isobaric charts*, pressure gradients are apparent.
- Steep (weak) pressure gradients are indicated by closely (widely) spaced isobars.



ESS124  
Prof. Jin-Yi Yu

## Pressure Gradient Force




(from Meteorology Today)

- $PG = (\text{pressure difference}) / \text{distance}$
- Pressure gradient force goes from high pressure to low pressure.
- Closely spaced isobars on a weather map indicate steep pressure gradient.




ESS124  
Prof. Jin-Yi Yu

## Northern Winter (January)




ESS124  
Prof. Jin-Yi Yu

## Northern Summer (July)




ESS124  
Prof. Jin-Yi Yu

## Seasonal Cycle of Rainfall



P  
ressure



W  
inds

## Measuring Winds




- Wind direction always indicates the direction from which wind blows.
- An **anemometer** indicates both wind speed and direction.
- Official measurements of wind at surface are made at an elevation of 10 meters, which is referred to as the **anemometer height**.
- Meteorologists typically measure wind speed in knots.

→ 1 knot = 1.15mph = 0.51 m/sec



ESS124  
Prof. Jin-Yi Yu

## Wind Direction and Speed



ESS124  
Prof. Jin-Yi Yu


# Humidity

- ❑ Atmospheric humidity is the amount of water vapor carried in the air.
- ❑ Humidity = moisture in the air
- ❑ Atmospheric water vapor is also the most important greenhouse gas in the atmosphere.



ESS124  
Prof. Jin-Yi Yu

## Vapor Pressure




(from *Meteorology Today*)

- The air's content of moisture can be measured by the pressure exerted by the water vapor in the air.
- The total pressure inside an air parcel is equal to the sum of pressures of the individual gases.
- In the left figure, the total pressure of the air parcel is equal to sum of vapor pressure plus the pressures exerted by Nitrogen and Oxygen.
- High vapor pressure indicates large numbers of water vapor molecules.
- Unit of vapor pressure is usually in mb.



ESS124  
Prof. Jin-Yi Yu

## Observed Vapor Pressure




- In winter, the atmosphere in north-central areas of the United States contains only about a quarter of moisture that the deserts do in summer.

• How can this be?



ESS124  
Prof. Jin-Yi Yu

## Saturation Vapor Pressure



- Saturation vapor pressure describes how much water vapor is needed to make the air saturated at any given temperature.
- Saturation vapor pressure depends primarily on the air temperature in the following way:

$$\frac{de_s}{dT} = \frac{L}{T(\alpha_v - \alpha_l)}$$

The  
Clausius-Clapeyron  
Equation


$$\Rightarrow e_s \approx 6.11 \cdot \exp \left\{ \frac{L}{R_v} \left( \frac{1}{273} - \frac{1}{T} \right) \right\}$$

- Saturation pressure increases exponentially with air temperature.

L: latent heat of evaporation;  $\alpha$ : specific volume of vapor and liquid




ESS124  
Prof. Jin-Yi Yu




## Relative Humidity

$$RH = \frac{\text{actual vapor pressure}}{\text{saturation vapor pressure}} \times 100 \text{ percent.}$$

- Humans are sensitive to how close air is to saturation, the quantity “*Relative Humidity*” was invent to describe this atmospheric property.



## Daily Variations of Temperature, Relative Humidity, and Dewpoint Temp.



On a day when the moisture content of the air does not change.

## Dry and Wet Bulb Thermometer: Measuring the Humidity



(from ww.golearneo.wordpress.com)

(from Sydney Olympic Park Education)

## Cloud Type Based On Properties

❑ Four basic cloud categories:


- ✓ Cirrus --- thin, wispy cloud of ice.
- ✓ Stratus --- layered cloud
- ✓ Cumulus --- clouds having vertical development.
- ✓ Nimbus --- rain-producing cloud

❑ These basic cloud types can be combined to generate *ten different cloud types*, such as cirrostratus clouds that have the characteristics of cirrus clouds and stratus clouds.




ESS124  
Prof. Jin-Yi Yu

## Cloud Types



ESS124  
Prof. Jin-Yi Yu


## Cloud Types Based On Height



If based on cloud base height, the ten principal cloud types can then grouped into four cloud types:

- ✓ High clouds -- cirrus, cirrostratus, cirroscumulus.
- ✓ Middle clouds – altostratus and altocumulus
- ✓ Low clouds – stratus, stratocumulus, and nimbostratus
- ✓ Clouds with extensive vertical development – cumulus and cumulonimbus.

(from "The Blue Planet")



ESS124  
Prof. Jin-Yi Yu

## Cloud Classifications

**Table 12.1** Classification of Clouds in the Troposphere by Altitude

Height	Name	Shape and Appearance
<i>High-level clouds</i>		
Cloud base 6 to 15 km above sea level	Cirrus	Feathery streaks
	Cirrocumulus	Small ripples and delicate puffs
	Cirrostratus	Translucent to transparent sheet, like a veil across the sky
<i>Middle-level clouds</i>		
Cloud base 2 to 6 km above sea level	Altostratus	White to dark gray puffs and elongate ripples
	Altostratus	Uniform white to gray sheet covering the sky
<i>Low-level clouds</i>		
Cloud base below 2 km above sea level	Stratus	Uniform dull gray cover over the sky
	Nimbostratus	Uniform gray cover, rain generally falling
	Stratocumulus	Patches of soft gray; in places patches coalescing to a layer
<i>Clouds with great vertical development</i>		
Cloud base below 3 km above sea level	Cumulus	Puffy cauliflower shape with flat base
	Cumulonimbus	Large, puffy; white, gray and black; great vertical extent, often with anvil-shaped head

(from "The Blue Planet")



ESS124  
Prof. Jin-Yi Yu



## High Clouds

1. Cirrus Clouds

3. Cirrocumulus Clouds

(from Australian Weather Service)

2. Cirrostratus Clouds

- High clouds have low cloud temperature and low water content and consist most of ice crystal.

ESS124  
Prof. Jin-Yi Yu

## Middle Clouds

4. Altostratus Clouds

5. Altocumulus Clouds

(from Australian Weather Service)

- Middle clouds are usually composite of liquid droplets.
- They block more sunlight to the surface than the high clouds.

ESS124  
Prof. Jin-Yi Yu

## Low Clouds

6. Stratus Clouds

8. Nimbostratus Clouds

(from Australian Weather Service)

7. Stratocumulus Clouds

- Low, thick, layered clouds with large horizontal extends, which can exceed that of several states.

ESS124  
Prof. Jin-Yi Yu

## Clouds With Vertical Development

9. Cumulus Clouds



10. Cumulonimbus Clouds



(from Australian Weather Service)

- They are clouds with substantial vertical development and occur when the air is absolute or conditionally unstable.



ESS124  
Prof. Jin-Yi Yu