



Lecture 10: Natural Climate Change



(from *Earth's Climate: Past and Future*)

- ❑ Tectonic-Scale Climate Changes
- ❑ Orbital-Scale Climate Changes


Circulation of the Solid Earth



- ❑ The rising hot rocks and slid-away flows are thought to be the factor that control the positions of ocean basins and continents.
- ➔ The convection determines the shape of the Earth.

ESS200 Prof. Jin-Yi Yu

Tectonic Scale




Past glaciations and continental positions. During Earth's 4.55-billion-year history, intervals when large continental ice sheets were present alternated with times when they were not (left). The earliest history of these changes is poorly defined because few ancient records are preserved. The movements of continents in relation to ocean basins are well known only for the last several hundred million years (right). (Globes adapted from D. Merritts et al., *Environmental Geology*, © 1997 by W. H. Freeman and Company.)

(from *Earth's Climate: Past and Future*)

- ❑ Tectonic Scale: the longest time scale of climate change on Earth, which encompasses most of Earth's 4.55-billion years of history.
- ❑ Tectonic processes driven by Earth's internal heat alter Earth's geography and affect climate over intervals of millions of years.
- ❑ On this time scale, Earth's climate has oscillated between times when ice sheets were presented somewhere on Earth (such as today) and times when no ice sheets were presented.

ESS200 Prof. Jin-Yi Yu

Twenty Rigid Plates




From *The Blue Planet*


- ❑ What can happen to the cold boundary?
- ➔ The lithosphere has broken into a number of rocky pieces, called plates.
- ❑ There are a few large plates plus a number of smaller one comprise the Earth's surface (a total of 20 plates).
- ❑ The plates range from several hundred to several thousand kilometers in width.

ESS200 Prof. Jin-Yi Yu

Tectonic Control of CO₂ Input – The Seafloor Spreading Rate Hypothesis



- ❑ During active plate tectonic processes, carbon cycles constantly between Earth's interior and its surface.
- ❑ The carbon moves from deep rock reservoirs to the surface mainly as CO₂ gas associated with volcanic activity along the margins of Earth's tectonic plates.
- ❑ The centerpiece of the seafloor spreading hypothesis is the concept that changes in the rate of seafloor spreading over millions of years control the rate of delivery of CO₂ to the atmosphere from the large rock reservoir of carbon, with the resulting changes in atmospheric CO₂ concentrations controlling Earth's climate.



(from *Earth's Climate: Past and Future*)





Summary: Tectonic Control of Climate

- ❑ Plate Tectonics probably does influence climate over long time scales (on the order of millions of years).
- ❑ The main influence of plate tectonics on climate appears to be indirect: by modulating CO₂ levels in the atmosphere through the chemical weathering process.
- ❑ This, in turn, affects climate by way of the greenhouse effect.
- ❑ Such change, in combination with the long-term increase in solar luminosity, can account for the main features of the long-term climate changes.



Tectonic-Scale Climate Change




- ❑ The faint young Sun paradox and its possible explanation.
- ❑ Why was Earth ice-free even at the poles 100 Myr ago (the Mesozoic Era)?
- ❑ What are the causes and climate effects of changes in sea level through time?
- ❑ What caused Earth's climate to cool over the last 55 Myr (the Cenozoic Era)?

(from *Earth's Climate: Past and Future*)



Orbital-Scale Climate Change




- ❑ Changes in solar heating driven by changes in Earth's orbit are the major cause of cyclic climate changes over time scales of tens to hundreds of thousands of years (23k years, 41k years, and 100k years).
- ❑ Earth's orbit and its cyclic variations: tilt variations, eccentricity variations, and precession of the orbit.
- ❑ How do orbital variations drive the strength of tropical monsoons?
- ❑ How do orbital variations control the size of northern hemisphere ice sheets?
- ❑ What controls orbital-scale fluctuations of atmospheric greenhouse gases?
- ❑ What is the origin of the 100,000-year climate cycle of the last 0.9 Myr (ice sheets melt rapidly every 100,000 years)?

(from *Earth's Climate: Past and Future*)



Orbital Scale


(from *The Earth System*)



- Orbital-scale climate changes are caused by subtle shifts in Earth's orbit.
- Three features of Earth's orbit around the Sun have changed over time:
 - (1) the tilt of Earth's axis,
 - (2) the shape of its yearly path of revolution around the Sun
 - (3) the changing positions of the seasons along the path.
- Orbital-scale climate changes have typical cycles from 20,000 to 400,000 years.



Insolation Control of Monsoons




- Monsoon circulations exist on Earth because the land responds to seasonal changes in solar radiation more quickly than does the ocean.
- Changes in insolation over orbital time scales have driven major changes in the strength of the summer monsoons.
- Changes of 12% in the amount of insolation received at low latitudes have caused large changes in the strength of summer monsoons at a cycle near 23,000 years in length.

(from *Earth's Climate: Past and Future*)



Seasonal Insolation Changes

(from *Earth's Climate: Past and Future*)




Mean insolation value = 340 W/m²

- The 23,000-year cycle of precessional change dominates the insolation changes at low and middle latitudes.
- The 41,000-year cycle of tilt change dominates the insolation changes at higher latitudes.
- Eccentricity changes (the 100,000 or 413,000-year cycles) is not a significant influence on seasonal insolation changes.



Orbital-Scale Changes in Methane




(from *Earth's Climate: Past and Future*)

- The Vostok ice record shows a series of cyclic variations in methane concentration, ranging between 350 to 700 ppb (part per billion).
- Each CH₄ cycle takes about 23,000 years.
- This cycle length points to a likely connection with changes in orbital precession.
- The orbital precession dominates insolation changes at *lower latitudes*.



Insolation Control of Ice Sheets




(from Earth's Climate: Past and Future)

- ❑ Ice sheets reacted strongly to insolation changes.
- ❑ **Summer** insolation control the size of ice sheet by fixing the rate of ice melting.



Conceptual Phases of Ice Sheet Evolution




(from Earth's Climate: Past and Future)




Evidence of Ice Sheet Evolution

(from Earth's Climate: Past and Future)




- ❑ This figures shows a North Atlantic Ocean sediment core holds a 3 Myr $\delta^{18}O$ record of ice volume and deep-water temperature changes.
- ❑ There were no major ice sheets before 2.75 Myr ago.
- ❑ After that, small ice sheets grew and melted at cycles of 41,000 and 23,000 years until 0.9 Myr ago.
- ❑ After 0.9 Myr ago, large ice sheet grew and melted at a cycle of 100,000 years.




The Little Ice Age


(from Earth's Climate: Past and Future)



- ❑ **Medieval Climate Optimum:** A relatively warm climate near 1000 to 1300.
- ❑ **Little Ice Age:** The cooling during 1400-1900 that seriously affect Europe.
- ❑ **Twentieth-Century Warming**



Climate Archives




- ❑ Much of climate history is recorded in four climate archives:
 - (1) Sediments
 - (2) Ice
 - (3) Corals
 - (4) Trees
- ❑ How are those records dated?
- ❑ How much of Earth's history each archive spans?
- ❑ What is the resolution of climate history yielded by each?

(from *Earth's Climate: Past and Future*)

ESS200
Prof. Jin-Yi Yu

Resolution of Climate Records



(from *Earth's Climate: Past and Future*)

ESS200
Prof. Jin-Yi Yu