





Lecture 5: Atmospheric Motions

- Pressure Gradient Force
- Coriolis Force
- Surface Friction
- Geostrophic Balance
- Thermal Wind Balance
- Scales of Motion



Scales of Motions in the Atmosphere



(from *Meteorology Today* by C. Donald Ahrens © 1994 West Publishing Company)





ESS55
Prof. Jin-Yi Yu

Force that Determines Wind

- Pressure gradient force
- Coriolis force
- Friction
- Centrifugal force



Pressure Gradient Force





(from Meteorology Today)


- ❑ $PG = (\text{pressure difference}) / \text{distance}$
- ❑ Pressure gradient force goes from high pressure to low pressure.
- ❑ Closely spaced isobars on a weather map indicate steep pressure gradient.



Thermal Energy to Kinetic Energy




Balance of Force in the Horizontal




Can happen in the tropics where the Coriolis force is small.

geostrophic balance

geostrophic balance plus frictional force



Upper Troposphere
(free atmosphere)




Surface

(from *Weather & Climate*)



ESS55
Prof. Jin-Yi Yu

Coriolis Force



(from *The Earth System*)

- First, Point A rotates faster than Point B ($U_A > U_B$)
- $U_A > U_B$
- A northward motion starting at A will arrive to the east of B
- It looks like there is a “force” pushing the northward motion toward right
- This apparent force is called “Coriolis force”:

$$\text{Coriolis Force} = f V$$

$$\text{where } f = 2 * \Omega * \text{Sin}(\text{lat}) \text{ and } \Omega = 7.292 \times 10^{-5} \text{ rad s}^{-1}$$




Coriolis Force

- ❑ Coriolis force causes the wind to deflect to the right of its intended path in the Northern Hemisphere and to the left in the Southern Hemisphere.
- ❑ The magnitude of Coriolis force depends on (1) the rotation of the Earth, (2) the speed of the moving object, and (3) its latitudinal location.
- ❑ The stronger the speed (such as wind speed), the stronger the Coriolis force.
- ❑ The higher the latitude, the stronger the Coriolis force.
- ❑ The Coriolis force is zero at the equator.
- ❑ Coriolis force is one major factor that determines weather patterns.



Coriolis Force Changes with latitude




(from *The Atmosphere*)



ESS55
Prof. Jin-Yi Yu


How Does Coriolis Force Affect Wind Motion?



(from *Weather & Climate*)





Geostrophic Balance



- By doing scale analysis, it has been shown that large-scale and synoptic-scale weather systems are in geostrophic balance.
- Geostrophic winds always follow the constant pressure lines (isobar). Therefore, we can figure out flow motion by looking at the pressure distribution.



Frictional Effect on Surface Flow



- ❑ Surface friction force slows down the geostrophic flow.
- ❑ The flow turns into (out of) the low (high) press sides.
- ❑ Convergence (divergence) is produced with the flow.



Friction Force

□ Friction Force = $c * V$


c = friction coefficient

V = wind speed




Surface Geostrophic Flow

Cyclonic Flow




Anticyclonic Flow



(figures from *Weather & Climate*)






(from *The Atmosphere*)



ESS55
Prof. Jin-Yi Yu

Surface High and Low Pressure Systems




(from *The Atmosphere*)



ESS55
Prof. Jin-Yi Yu

Centrifugal Force



- The force that change the direction (but not the speed) of motion is called the centrifugal force.
- Centrifugal Force = V^2 / R .
V = wind speed
R = the radius of the curvature

(from *Meteorology: Understanding the Atmosphere*)




Gradient Wind Balance

- The three-way balance of horizontal pressure gradient, Coriolis force, and the centrifugal force is call the *gradient wind balance*.
- The gradient wind is an excellent approximation to the actual wind observed above the Earth's surface, especially at the middle latitudes.



Super- and Sub-Geostrophic Winds





- For high pressure system
 - ➔ gradient wind $>$ geostrophic wind
 - ➔ supergeostrophic.
- For low pressure system
 - ➔ gradient wind $<$ geostrophic wind
 - ➔ subgeostrophic.

(from *Meteorology: Understanding the Atmosphere*)



Temperature and Pressure




(from *Weather & Climate*)

- Hydrostatic balance tells us that the pressure decrease with height is determined by the temperature inside the vertical column.
- Pressure decreases faster in the cold-air column and slower in the warm-air column.
- Pressure drops more rapidly with height at high latitudes and lowers the height of the pressure surface.



Thermal Wind Relation



(from *Weather & Climate*)



Thermal Wind Equation


$$\frac{\partial U}{\partial z} \propto \frac{\partial T}{\partial y}$$

- The vertical shear of zonal wind is related to the latitudinal gradient of temperature.
- Jet streams usually are formed above baroclinic zone (such as the polar front).




Cold and Warm Fronts


Mid-Latitude Cyclone



(From *Weather & Climate*)




Cold front



Warm front



Tropical Hurricane



(from *Understanding Weather & Climate*)

- The hurricane is characterized by a strong thermally direct circulation with the rising of warm air near the center of the storm and the sinking of cooler air outside.



Monsoon: Another Sea/Land-Related Circulation of the Atmosphere

Winter



❑ Monsoon is a climate feature that is characterized by the *seasonal reversal in surface winds*.

❑ The very different heat capacity of land and ocean surface is the key mechanism that produces monsoons.

❑ During summer seasons, land surface heats up faster than the ocean. Low pressure center is established over land while high pressure center is established over oceans. Winds blow from ocean to land and bring large amounts of water vapor to produce heavy precipitation over land: A rainy season.

❑ During winters, land surface cools down fast and sets up a high pressure center. Winds blow from land to ocean: a dry season.


Summer



(figures from *Weather & Climate*)



Sea/Land Breeze



- ❑ Sea/land breeze is also produced by the different heat capacity of land and ocean surface, similar to the monsoon phenomenon.
- ❑ However, sea/land breeze has much shorter timescale (day and night) and space scale (a coastal phenomenon) than monsoon (a seasonal and continental-scale phenomenon).

(figure from *The Earth System*)



ESS55
Prof. Jin-Yi Yu

Santa Ana Wind



This is a picture of Fremont Canyon, located in the Santa Ana Mountains in Orange County. This canyon is known for its extremely high winds during Santa Ana wind events, where the winds can gust over 100 MPH during very strong Santa Ana wind events (picture from the Orange County Register).

DEFINITION

Strong warm and dry winds blow over the southern California from the Great Basin, with speeds exceed 25 knots (46 km/hr).



Generation Mechanism




(from NASA's Observatorium website)



Santa Ana Wind

Santa Ana winds on February 9, 2002
NASA MISR observation



Santa Ana Guide ©1999 Channel Crossings Press



Diurnal and Seasonal Variations

Diurnal variation:

Stronger Santa Ana wind at night and weaker Santa Ana wind on the day.

Seasonal Variation:

Occurs most frequently in winter (November to March).

